



Safety Data Sheet according to WHS Regulations

Date of issue: 28.07.2025

Revision: 28.07.2025

*

1 Identification

- **Other means of identification**
- **Trade name:** Ultrapak™ Dental Retraction Cord (All Sizes)
- **Article number:**
SDS 189-001.08R01, 10285, 15315, 19801, 19802, 19803, 19804, 30904, 30905, 30906, 30907, 134, 134-P3, 9336, REF134, S102, 137, 137-P3, 9331, REF137, 2225-JP, 2224-JP
- **Relevant identified uses of the substance or mixture and uses advised against**
Professional Dental Retraction Cord
- **Application of the substance / the mixture** Professional Dental Retraction Cord
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Ultradent Products, Inc.
505 W. Ultradent Drive (10200 S)
South Jordan, UT 84095-3942
USA
onlineordersupport@ultradent.com
(800) 552-5512

Ultradent Australia Pty Ltd.
Level 22/2 Market Street
Sydney NSW 2000
Australia
Email: info.anz@ultradent.com
Toll Free: 1-800-290929
- **Further information obtainable from:** Customer Service
- **Emergency telephone number:**
CHEMTREC (NORTH AMERICA) : +1 (800) 424-9300
(INTERNATIONAL) : +(703) 527-3887

2 Hazard(s) Identification

- **Classification of the substance or mixture**
The substance is not classified, according to the Globally Harmonized System (GHS).
- **Label elements**
- **GHS label elements** Void
- **Hazard pictograms** Void
- **Signal word** Void
- **Hazard statements** Void

3 Composition and Information on Ingredients

- **Chemical characterisation:** Mixtures
- **Description:** Mixture of substances listed below with nonhazardous additions.
Cotton

AU

(Contd. on page 2)

Safety Data Sheet

according to WHS Regulations

Date of issue: 28.07.2025

Revision: 28.07.2025

Trade name: **Ultrapak™ Dental Retraction Cord (All Sizes)**

(Contd. of page 1)

4 First Aid Measures

- **General information:** No special measures required.
- **After inhalation:** None
- **After skin contact:** Generally the product does not irritate the skin.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:** None
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire Fighting Measures

- **Suitable extinguishing agents:** Use fire extinguishing methods suitable to surrounding conditions.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Protective equipment:** No special measures required.

6 Accidental Release Measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:** Pick up mechanically.
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and Storage

- **Handling:**
- **Precautions for safe handling:** No special measures required.
- **Information about fire - and explosion protection:** No special measures required.
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** See product labelling.
- **Specific end use(s)** Professional Dental Retraction Cord

8 Exposure controls and personal protection

- **Appropriate engineering controls** No further data; see section 7.
- **Ingredients with limit values that require monitoring at the workplace:** Not required.
- **Additional information:** The lists valid during the making were used as basis.
- **Personal protective equipment:**
- **General protective and hygienic measures:**
The usual precautionary measures are to be adhered to when handling chemicals.
- **Respiratory protection:** Not required.

(Contd. on page 3)

Safety Data Sheet

according to WHS Regulations

Date of issue: 28.07.2025

Revision: 28.07.2025

Trade name: Ultrapak™ Dental Retraction Cord (All Sizes)

(Contd. of page 2)

· Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact breakthrough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Not required.

· Body protection: Protective work clothing

9 Physical and Chemical Properties

· General Information
· Appearance:
· Form:

Knitted Cord

· Colour:

Various

· Odour:

Odourless

· Odour threshold:

Not determined.

· pH-value:

Not applicable.

· Change in condition
· Melting point/freezing point:

Not determined

· Initial boiling point and boiling range:

Not determined

· Flash point:

Not applicable.

· Flammability

Product is not flammable.

· Decomposition temperature:

Not determined.

· Ignition temperature:

Not determined.

· Explosive properties:

Product does not present an explosion hazard.

· Explosion limits:
· Lower:

Not determined.

· Upper:

Not determined.

· Vapour pressure:

Not applicable.

· Density:

Not determined.

· Relative density

Not determined.

· Vapour density

Not applicable.

· Evaporation rate

Not applicable.

· Solubility in / Miscibility with
· water:

Insoluble.

· Partition coefficient: n-octanol/water:

Not determined.

· Viscosity:
· Dynamic:

Not applicable.

· Kinematic:

Not applicable.

· Other information
· Particle characteristics

Not determined.

· Physical state

Solid

AU

(Contd. on page 4)

Safety Data Sheet

according to WHS Regulations

Date of issue: 28.07.2025

Revision: 28.07.2025

Trade name: **Ultrapak™ Dental Retraction Cord (All Sizes)**

(Contd. of page 3)

10 Stability and Reactivity

- **Reactivity** No further relevant information available.
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions:** No dangerous reactions known.
- **Conditions to avoid:** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological Information

- **Information on toxicological effects**
- **Acute toxicity** Based on available data, the classification criteria are not met.
- **Primary irritant effect:**
- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation** Based on available data, the classification criteria are not met.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Germ cell mutagenicity**
Does not meet the classification criteria for this hazard class.
Based on available data, the classification criteria are not met.
- **Carcinogenicity**
Does not meet the classification criteria for this hazard class.
Based on available data, the classification criteria are not met.
- **Reproductive toxicity**
Does not meet the classification criteria for this hazard class.
Based on available data, the classification criteria are not met.
- **STOT-single exposure**
Does not meet the classification criteria for this hazard class.
Based on available data, the classification criteria are not met.
- **STOT-repeated exposure**
Does not meet the classification criteria for this hazard class.
Based on available data, the classification criteria are not met.
- **Aspiration hazard**
Does not meet the classification criteria for this hazard class.
Based on available data, the classification criteria are not met.

12 Ecological Information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behaviour in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

(Contd. on page 5)

Safety Data Sheet

according to WHS Regulations

Date of issue: 28.07.2025

Revision: 28.07.2025

Trade name: Ultrapak™ Dental Retraction Cord (All Sizes)

(Contd. of page 4)

· **Other adverse effects** No further relevant information available.

13 Disposal considerations

· **Waste treatment methods**

· **Recommendation**

Smaller quantities can be disposed of with household waste.

Dispose of contents/container in accordance with international, federal, state, and local regulations.

· **Uncleaned packaging:**

· **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

· **UN-Number**

· **ADG, IMDG, IATA**

not regulated

· **ADN**

Not Regulated

· **UN proper shipping name**

· **ADG, IMDG, IATA**

not regulated

· **Transport hazard class(es)**

· **ADG, IMDG, IATA**

· **Class**

not regulated

· **ADN/R Class:**

Not Regulated

· **Packing group**

· **ADG, IMDG, IATA**

not regulated

· **Environmental hazards:**

Not applicable.

· **Special precautions for user**

Not Applicable

· **Transport in bulk according to Annex II of Marpol and the IBC Code**

Not applicable.

· **UN "Model Regulation":**

not regulated

15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

Substance is not listed.

· **Australian Inventory of Industrial Chemicals**

Substance is not listed.

· **Standard for the Uniform Scheduling of Medicines and Poisons**

Substance is not listed.

· **Australia: Priority Existing Chemicals**

Substance is not listed.

· **Directive 2012/18/EU**

· **Named dangerous substances - ANNEX I** Substance is not listed.

(Contd. on page 6)

Safety Data Sheet

according to WHS Regulations

Date of issue: 28.07.2025

Revision: 28.07.2025

Trade name: Ultrapak™ Dental Retraction Cord (All Sizes)

(Contd. of page 5)

· **Chemical safety assessment:**

Device is biocompatible when used as directed by dental professionals per ISO 10993-1

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Department issuing SDS:** Environmental, Health, and Safety

· **Contact:** Customer Service

· **Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

· *** Data compared to the previous version altered.**

AU