



Safety Data Sheet according to WHS Regulations

Date of issue: 28.07.2025

Revision: 28.07.2025

1 Identification

- **Other means of identification**
- **Trade name:** *Ultradent™ LC Block-Out Resin*
- **Article number:** SDS 30-001.14R01, 10318, 10252, 240, 240-JP, 241, 241-JP, 242, 242-1
- **Relevant identified uses of the substance or mixture and uses advised against** Dental laboratory resin
- **Application of the substance / the mixture** Dental Laboratory Resin
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Ultradent Products, Inc.
505 W. Ultradent Drive (10200 S)
South Jordan, UT 84095-3942
USA
onlineordersupport@ultradent.com
(800) 552-5512

Ultradent Australia Pty Ltd.
Level 22/2 Market Street
Sydney NSW 2000
Australia
Email: info.anz@ultradent.com
Toll Free: 1-800-290929
- **Further information obtainable from:** Customer Service
- **Emergency telephone number:**
CHEMTREC (NORTH AMERICA) : +1 (800) 424-9300
(INTERNATIONAL) : +(703) 527-3887

2 Hazard(s) Identification

- **Classification of the substance or mixture**



Skin sensitisation – Category 1 H317 May cause an allergic skin reaction.

- **Label elements**
- **GHS label elements** The product is classified and labelled according to the Globally Harmonised System (GHS).
- **Hazard pictograms** GHS07
- **Signal word** Warning
- **Hazard-determining components of labelling:**
Diurethane Dimethacrylate (>60-<80 %)
Triethylene Glycol Dimethacrylate (>10-<30 %)
- **Hazard statements**
H317 May cause an allergic skin reaction.
- **Precautionary statements**
P101 If medical advice is needed, have product container or label at hand.
P102 Keep out of reach of children.
P103 Read label before use.
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P280 Wear protective gloves.

(Contd. on page 2)

Safety Data Sheet

according to WHS Regulations

Date of issue: 28.07.2025

Revision: 28.07.2025

Trade name: **Ultradent™ LC Block-Out Resin**

(Contd. of page 1)

- P362+P364 Take off contaminated clothing and wash it before reuse.
 P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
 P321 Specific treatment (see on this label).
 P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

3 Composition and Information on Ingredients

- **Chemical characterisation: Mixtures**
- **Description:** Mixture of substances listed below with nonhazardous additions.

- **Dangerous components:**

72869-86-4	Diurethane Dimethacrylate	>60-<80%
	⚠ Skin sensitisation – Category 1, H317	
109-16-0	Triethylene Glycol Dimethacrylate	>10-<30%
	⚠ Skin sensitisation – Category 1, H317	
	Trade Secret	<1%
	⚠ Acute toxicity - oral – Category 4, H302; Acute toxicity - dermal – Category 4, H312; Skin corrosion/irritation – Category 2, H315; Eye damage/irritation – Category 2A, H319; Skin sensitisation – Category 1, H317; Flammable liquids – Category 4, H227	

- **Additional information:** For the wording of the listed hazard phrases refer to section 16.

4 First Aid Measures

- **General information:** Immediately remove any clothing soiled by the product.
- **After inhalation:**
 This product is a viscous gel, therefore chance of inhalation is extremely low.
 Seek medical treatment in case of complaints.
 Supply fresh air and to be sure call for a doctor.
 In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:**
 Rinse out mouth and then drink plenty of water.
 Seek medical treatment.
- **Information for doctor:**
Most important symptoms and effects, both acute and delayed No further relevant information available.
Indication of any immediate medical attention and special treatment needed
 No further relevant information available.

5 Fire Fighting Measures

- **Suitable extinguishing agents:**
 Water spray
 Foam
 Fire-extinguishing powder
 Use fire extinguishing methods suitable to surrounding conditions.
- **Special hazards arising from the substance or mixture**
 Carbon monoxide (CO)
 Nitrogen oxides (NOx)
 During fire, gases hazardous to health may be formed.

(Contd. on page 3)

Safety Data Sheet

according to WHS Regulations

Date of issue: 28.07.2025

Revision: 28.07.2025

Trade name: **Ultradent™ LC Block-Out Resin**

(Contd. of page 2)

· **Protective equipment:** Wear fully protective suit.

6 Accidental Release Measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose contaminated material as waste according to section 13.
Ensure adequate ventilation.
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and Storage

- **Handling:**
- **Precautions for safe handling:**
Keep receptacles tightly sealed.
Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.
- **Information about fire - and explosion protection:** No special measures required.
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Store only in the original receptacle.
- **Information about storage in one common storage facility:**
Store away from oxidising agents.
Store away from foodstuffs.
- **Further information about storage conditions:** See product labelling.
- **Specific end use(s)** Dental Laboratory Resin

8 Exposure controls and personal protection

- **Appropriate engineering controls** No further data; see section 7.
- **Ingredients with limit values that require monitoring at the workplace:**
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Additional information:** The lists valid during the making were used as basis.
- **Personal protective equipment:**
- **General protective and hygienic measures:**
Do not eat or drink while working.
Immediately remove all soiled and contaminated clothing.
Wash hands before breaks and at the end of work.
- **Respiratory protection:**
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.
- **Protection of hands:**



Protective gloves

(Contd. on page 4)

Safety Data Sheet

according to WHS Regulations

Date of issue: 28.07.2025

Revision: 28.07.2025

Trade name: **Ultradent™ LC Block-Out Resin**

(Contd. of page 3)

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves**

The selection of suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- **Penetration time of glove material**

The exact breakthrough time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **Eye protection:** Goggles recommended during refilling

- **Body protection:** Protective work clothing

9 Physical and Chemical Properties

- **General Information**

- **Appearance:**

- **Form:** Medium Viscosity

- **Colour:** Blue

- **Odour:** Methacrylate

- **Odour threshold:** Not determined.

- **pH-value:** Not applicable (non-aqueous)

- **Change in condition**

- **Melting point/freezing point:** <25 °C

- **Initial boiling point and boiling range:** >100 °C

- **Flash point:** Not applicable.

- **Flammability:** Not applicable.

- **Decomposition temperature:** 260 °C (TGA trace)

- **Ignition temperature:** Product is not selfigniting.

- **Explosive properties:** Product does not present an explosion hazard.

- **Explosion limits:**

- **Lower:** Not determined.

- **Upper:** Not determined.

- **Vapour pressure:** Not determined.

- **Density at 20 °C:** 1.1-1.2 g/cm³

- **Relative density:** Not determined.

- **Vapour density:** Not determined.

- **Evaporation rate:** Not determined.

- **Solubility in / Miscibility with**

- **water:** Not miscible or difficult to mix.

- **Partition coefficient: n-octanol/water:** Not determined.

- **Viscosity:**

- **Dynamic:** Not determined.

- **Kinematic:** Not determined.

- **Other information**

- **Particle characteristics:** Not applicable.

- **Physical state:** Fluid

AU

(Contd. on page 5)

Safety Data Sheet

according to WHS Regulations

Date of issue: 28.07.2025

Revision: 28.07.2025

Trade name: **Ultradent™ LC Block-Out Resin**

(Contd. of page 4)

10 Stability and Reactivity

- **Reactivity** No further relevant information available.
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions:** No dangerous reactions known.
- **Conditions to avoid:**
 - Light
 - UV light
- **Incompatible materials:** Strong oxidizing agents
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological Information

- **Information on toxicological effects**
- **Acute toxicity** Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

72869-86-4 Diurethane Dimethacrylate

Oral	LD50	>5,000 mg/kg (rat)
------	------	--------------------

109-16-0 Triethylene Glycol Dimethacrylate

Oral	LD50	>5,000 mg/kg (rat)
	LC50 Fish	16.4 mg/l (Fish) (Toxicity to fish)
Dermal	LD50	>2,000 mg/kg (mouse)

Trade Secret

Oral	LD50	1,550 mg/kg (rat)
	LC50 Fish	19 mg/l (Fish)
Dermal	LD50	2,000 mg/kg (rabbit)
Inhalative	LC50/4 h	96 mg/l (rat)

- **Primary irritant effect:**
- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation** Based on available data, the classification criteria are not met.
- **Respiratory or skin sensitisation** May cause an allergic skin reaction.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

12 Ecological Information

· Toxicity

· Aquatic toxicity:

72869-86-4 Diurethane Dimethacrylate

EC50	>0.6 mg/kg (Algae)
Biodegradability	28 days (Aerobic) (Biodegradability testing)

109-16-0 Triethylene Glycol Dimethacrylate

EC50	>100 mg/kg (Algae)
------	--------------------

(Contd. on page 6)

Safety Data Sheet

according to WHS Regulations

Date of issue: 28.07.2025

Revision: 28.07.2025

Trade name: Ultradent™ LC Block-Out Resin

(Contd. of page 5)

Biodegradability	28 days (Aerobic) (Biodegradability testing)
Aqua toxicity	32 mg/l (daphnia) (No Observed Effect Concentration)
Trade Secret	
EC50	42 mg/kg (Algae)

- **Persistence and degradability** No further relevant information available.
- **Behaviour in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**
 Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water
 Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation**
 Dispose of contents/container in accordance with international, federal, state, and local regulations.
- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

· UN-Number	
· ADG, IMDG, IATA	not regulated
· UN proper shipping name	
· ADG, IMDG, IATA	not regulated
· Transport hazard class(es)	
· ADG, ADN, IMDG, IATA	
· Class	not regulated
· Packing group	
· ADG, IMDG, IATA	not regulated
· Environmental hazards:	Not applicable.
· Special precautions for user	Not Applicable
· Transport in bulk according to Annex II of Marpol and the IBC Code	Not applicable.
· UN "Model Regulation":	not regulated

AU

(Contd. on page 7)

Safety Data Sheet

according to WHS Regulations

Date of issue: 28.07.2025

Revision: 28.07.2025

Trade name: **Ultradent™ LC Block-Out Resin**

(Contd. of page 6)

15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

· **Australian Inventory of Industrial Chemicals**

72869-86-4 Diurethane Dimethacrylate

109-16-0 Triethylene Glycol Dimethacrylate

Trade Secret

Trade Secret

27306-78-1 Polyalkyleneoxide Modified Heptamethyltrisiloxane

1345-16-0 Dark Blue Pigment

68186-87-8 Cobalt Zinc Aluminate Blue Spinel

Trade Secret

10373-78-1 Camphorquinone

67674-67-3 Polyalkyleneoxide Modified Heptamethyltrisiloxane

68186-85-6 Cobalt Titanate Green Spinel

· **Standard for the Uniform Scheduling of Medicines and Poisons**

None of the ingredients is listed.

· **Australia: Priority Existing Chemicals**

None of the ingredients is listed.

· **Directive 2012/18/EU**

· **Named dangerous substances - ANNEX I** None of the ingredients is listed.

· **Chemical safety assessment:**

Device is biocompatible when used as directed by dental professionals per ISO 10993-1

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases from Section 3**

H227 Combustible liquid.

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

· **Department issuing SDS:** Environmental, Health, and Safety

· **Contact:** Customer Service

· **Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

(Contd. on page 8)

Safety Data Sheet
according to WHS Regulations

Date of issue: 28.07.2025

Revision: 28.07.2025

Trade name: Ultradent™ LC Block-Out Resin

(Contd. of page 7)

*PBT: Persistent, Bioaccumulative and Toxic**vPvB: very Persistent and very Bioaccumulative**NIOSH: National Institute for Occupational Safety**Flammable liquids – Category 4: Flammable liquids – Category 4**Acute toxicity - oral – Category 4: Acute toxicity – Category 4**Skin corrosion/irritation – Category 2: Skin corrosion/irritation – Category 2**Eye damage/irritation – Category 2A: Serious eye damage/eye irritation – Category 2A**Skin sensitisation – Category 1: Skin sensitisation – Category 1**· * Data compared to the previous version altered.*

AU